



USE OF SPECTROSCOPIC AND THEIR CLINICAL APPLICATIONS IN DRUG ABUSE: A REVIEW

Ms.Ranjana Kishor Mhatre

Assistant Professor, ITM University, Raipur.

Abstract: It is commonly used in drug abuse applications to identified and quantity in there metabolites in biological samples. These spectroscopy instruments used in a variety of drug abuse applications. Such as drug testing and forensic analysis in the uses of clinical industry. Urine drugs testing often use mass spectrometry. It is identify and quantified drugs and other metabolism in urine samples. Similarly are used in forensic drugs and laboratories to identified drugs found at the crime scenes. Spectroscopy is a powerful tool to analyzing and characterizing the drugs. The objectives of drugs awareness is to understanding and knowledge of drugs and there effects on individual society and the environment.

KEYWORDS- *Drugs, Electromagnetic, Ultra violate, Infrared, Clinical, Radiations*

I. INTRODUCTION

Spectroscopic is a powerful tool for analyzing and characterizing substances in the new generations. It is including drugs of abuse spectroscopy techniques is used to identify and quantity the components of a substance. It is measuring by the substances between electromagnetic radiation and the molecules that make up the substances [1].




Figure 1: Effects on use of drugs in the human body

(Source: 1)

Some common spectroscopy techniques used in drug abuse applications such as infrared spectroscopy, ultraviolet visible spectroscopy, nuclear magnetic resonance spectroscopy, mass spectroscopy. Infrared spectroscopy is the techniques of measures the absorption [2]. It is transmit of inferred radiation by the substances. It is commonly useless to identify functional groups in drugs, such as carbonyl and amine groups. Ultraviolet spectroscopy is the techniques measures of UV and visible radiation by the substances [3]. It is often used identify and quantity drugs that absorb as LSD. Nuclear magnetic resonance spectroscopy is the techniques use of magnetic fields [4]. It is measure the energy absorbed by the atomic nuclear in a substances. It is use to identify the amount of drug present in a sample. Mass spectrometry is the techniques measure the mass to change ratio of ions in a sample. It is allowing for identifications of the molecular weight and structure of drugs.

II. OBJECTIVES

- To use of infrared spectroscopy for reducing the abuse of drug
- To avoid the taking of drug use to ultra violate visible spectroscopy
- To advantages of spectroscopy and analyze the side effect of technologies
- To analyze the advantages of spectroscopy in clinical applications
- To use the mass spectrometry of avoid taking drug
- To develop the pharmaceuticals institution and examine the drugs for the new generations



III. METHODOLOGY

Methodology is a process that is conducted by the researchers before conducting the research. It includes types of methods used by the researcher during the research [1]. The researchers have conducted this research by using the secondary data collection method. Primary data collection method is not accurate for this research, as conducting a sample survey for this topic is not possible [5]. They have collected information regarding this topics detecting and considering different fields. The information they have gathered from journals, articles, graphical and statically representation, public records, the information provided by the previous researchers.



Figure 2: Different ways of methodology

(Source: 2)

IV. TO CRITICALLY ANNALYZE THE USE OF A INFARATED SPECTOSCPCIC

Spectroscopic is an instrument for examining the formation of atoms and molecules. Wavelengths emitting from these helps in to search the structure of it [2]. It is commonly used in measuring the molecules and is dignified by the radiant energy coming out from the sun. The molecules take part in roles in atoms and molecules [3]. It plays the roles as catalyst, in regulating the hormones and to fight against the dangerous diseases. Molecular structure is made up of three amino acids; they are albumin, tryphotophon and tyrosine [2].It includes on information on legal and illegal drugs in the society. Drugs awareness aim to educate individuals especially to young people. It is about to know the danger of drug use and the importance of making informed decision about their health. It also seeks to promote healthy and responsible behaviors and provides information about available resources for those struggling with their drug addiction. It is essential to raise awareness about drugs as drug abuse and addiction can have severe consequences on an individual’s physical and mental health. Promote the drug awareness educational programmers, public service communications, and community outreach efforts are often used to help individuals make informed decision about drug use and prevent the drug abuse.




Figure 3: Uses and different parts of infrared spectroscopy



(Source: 5)

Application of fluorescence plays a major role in the fields of science and the major importance of spectroscopic is to fight the battle with the serious disease which is Cancer. During the Covid 19 the major ways of detecting Covid in the individual, it was possible with the help of spectroscopic [3]. Some of the real life application of it are as follows they are UV lamps helps to sanitize surgical; room, with a help of flashlight in the phone it detects whether a toddler has a eye tumor or no.

V. CRITICALLY DISCOVERING MASS SPECTROSCOPIC TO AVOID TAKING DRUGS

Mass Spectroscopic is a logically tool used for determine the molecules there in a sample and represented as MS. It is a used in various fields to detect various problems and can be put in both the in simple and in difficult situation [1]. It is used to discover the molecules of a certain sample. In MS, the example can be in any three forms: they are as solid, gas and in liquid form. The fragments resulting from the mass molecule change according the preferences of their MS. F




Figure 4: Parts, uses and steps of Mass Spectrometry

(Source: 6)

It mainly consists of three elements like the starting point of the ion, mass reviewer, and a problem solver [2]. There are different kinds of MS they are as follows: Magnetic sector mass analyzer: it detects the ions and is expeditious in a flight tube, was ions are divided by the ratio of mass [5]. It is made up of deflection, detection, ionization. The sample evaporates when meets with an ionization chamber. In the deflection the

charge positive ions are divert by the magnetic fields.

VI. ADVANTAGES OF SPECTROSCOPY

Ultra violate drug is using generally for treating the skin diseases and only used by doctors. There are three types of spectroscopy available [5]: Emission spectroscopy, Absorption spectroscopy, and Scattering spectroscopy. Spectroscopy is a



process between matter and electromagnetic radiation. The main advantage of this is it is taking less time, and it works fast, and it gives only the recorded chart. It is more sensitive and valuable, which is a mixture of

impurities. Spectroscopy is mainly used to identify the format of molecules atoms and. The big amount of intuition issued by spectroscopy may possible to know more about its structure.




Figure 5: Advantages of spectroscopy in drug

(Source: 4)

It is also used to find out the capacity of scientific methods which is mixed with unknown chemical [1]. A continuing change due to Doppler shift happened when the radiation moves. In the year 1965 the spectroscopy elements were found by American scientist. It is simple to use, so there is a chance of using in appropriately by using with ultraviolet.

VII. DISADVANTAGES OF SPECTROSCOPY

Spectroscopy is used in qualitative and quantitative methods, and it is harmful for health. The primary issue of this drug is it can create hydrocarbons into the body which are not identified [2]. It is difficult to create a division between geometrical isomers and optical issue. Uses, a lot of this drug can not able to categorize between hydrocarbons which have defective ions. The use of this drug makes the body very weak and makes low concentration.




Figure 6: Disadvantages spectroscopy

(Source: 3)



The other issue is that if it is not created properly, then it may create an issue by mixing with outside lights. The main issue it is facing when it is using with ultra violet and that time it takes time to prepare [3]. Any outside noise, light, and poison can create issue while using it.

PROBLEM STATEMENT

Every work has some problems which are faced by researcher, and sometimes they are not ready to disclose that. Here the researcher was followed the secondary source for this study which was available previously. The secondary sources are Google Scholar, journals, blogs, and articles. Primary sources are more effective as it is totally original and taking information from human. Sometimes the researcher has to face some personal issue and biased decision as different people came from different culture and their thinking is difference. Research is based on different methods and planning and the final result is based on the data collection.

CONCLUSION

The researcher has come with some conclusion when a study has completed. Uses of any substance drug in different parts of body can create a major issue in body. Spectroscopy is using a large number of visions and identifies the structure of electron and atom and molecules. As per the survey, the uses of different types of spectroscopy identify the role, principal and clinical use of this drug. There are different types of drugs available like alcohol, amphetamines, metabolites, cocaine, codeine can create different types of disease like blood issue, hair fall issue and plasma issue. These techniques are none damaged and response quickly and precious.

REFERENCES

- [1] Al-Qazzaz, N. K., Sabir, M. K., Ali, S. H. B. M., Ahmad, S. A., & Grammer, K. (2021). Multichannel optimization with hybrid spectral-entropy markers for gender identification enhancement of emotional-based EEGs. *IEEE Access*, 9, 107059-107078. Retrieved from <https://ieeexplore.ieee.org/iel7/6287639/9312710/09481124.pdf> [Retrieved on 28.03.23]
- [2] An-Bing, Z., Hui-Hua, Y., Xi-Peng, P., Li-Hui, Y., & Yan-Chun, F. (2020). On-site identification of counterfeit drugs based on near-infrared spectroscopy Siamese-network modeling. *IEEE Access*, 9, 3195-3206. Retrieved from <https://ieeexplore.ieee.org/iel7/6287639/9312710/09309219.pdf> [Retrieved on 28.03.23]
- [1] Carneiro, I., Carvalho, S., Henrique, R., Selifonov, A., Oliveira, L., & Tuchin, V. V. (2020). Enhanced ultraviolet spectroscopy by optical clearing for biomedical applications. *IEEE Journal of Selected Topics in Quantum Electronics*, 27(4), 1-8. Retrieved from: <https://drive.google.com/file/d/1cMYHzsps9lQ8caJggd0BGMdLV72EiF9F/view> [Retrieved on: 28/03/2023]
- [2] Carneiro, I., Carvalho, S., Henrique, R., Selifonov, A., Oliveira, L., & Tuchin, V. V. (2020). Enhanced ultraviolet spectroscopy by optical clearing for biomedical applications. *IEEE Journal of Selected Topics in Quantum Electronics*, 27(4), 1-8. Retrieved from : <https://drive.google.com/file/d/1cMYHzsps9lQ8caJggd0BGMdLV72EiF9F/view> [Retrieved on: 28.03.2023]
- [3] Gonçalves, T., Rio-Torto, I., Teixeira, L. F., & Cardoso, J. S. (2022). A survey on attention mechanisms for medical applications: are we moving towards better algorithms?. *IEEE Access*. Retrieved from <https://ieeexplore.ieee.org/iel7/6287639/9668973/09889720.pdf> [Retrieved on 28.03.23]
- [4] Green, R. O., Mahowald, N., Ung, C., Thompson, D. R., Bator, L., Bennet, M., ...& Zan, J. (2020, March). The Earth surface mineral dust source investigation: An Earth science imaging spectroscopy mission. In *2020 IEEE aerospace conference* (pp. 1-15). IEEE. Retrieved from : https://upcommons.upc.edu/bitstream/handle/2117/329539/green2020_ieee.pdf?sequence=1 [Retrieved on: 28.03.2023]
- [5] Islam, M. S., Cordeiro, C. M., Nine, M. J., Sultana, J., Cruz, A. L., Dinovitser, A., ...& Abbott, D. (2020). Experimental study on glass and polymers: Determining the optimal material for potential use in terahertz technology. *IEEE access*, 8, 97204-97214. Retrieved from : <https://ieeexplore.ieee.org/iel7/6287639/8948470/09097587.pdf> [Retrieved on: 28.03.2023]
- [6] Jiang, Z., Yao, J., Wang, L., Wu, H., Huang, J., Zhao, T., & Takei, M. (2019). Development of a portable electrochemical impedance



- spectroscopy system for bio-detection. *IEEE Sensors Journal*, 19(15), 5979-5987. Retrieved from: https://www.researchgate.net/profile/Jiafeng-Yao/publication/332345277_Development_of_A_Portable_Electrochemical_Impedance_Spectroscopy_System_for_Bio-detection/links/5d21f6faa6fdcc2462c83173/Development-of-A-Portable-Electrochemical-Impedance-Spectroscopy-System-for-Bio-detection.pdf[Retrieved on: 28/03/2023]
- [7] Joshi, A. M., Jain, P., Mohanty, S. P., & Agrawal, N. (2020). iGLU 2.0: A new wearable for accurate non-invasive continuous serum glucose measurement in IoMT framework. *IEEE Transactions on Consumer Electronics*, 66(4), 327-335. Retrieved from: <https://drive.google.com/file/d/1pJaRTlyEgBTKNpi2u2QPMNm7oC3XR18g/view>[Retrieved on: 28/03/2023]
- [8] Kashyap, B., & Kumar, R. (2021). Sensing methodologies in agriculture for soil moisture and nutrient monitoring. *IEEE Access*, 9, 14095-14121. Retrieved from: <https://ieeexplore.ieee.org/iel7/6287639/9312710/09328258.pdf> [Retrieved on: 28.03.2023]
- [9] Lai, D., Heyat, M. B. B., Khan, F. I., & Zhang, Y. (2019). Prognosis of sleep bruxism using power spectral density approach applied on EEG signal of both EMG1-EMG2 and ECG1-ECG2 channels. *Ieee Access*, 7, 82553-82562. Retrieved from <https://ieeexplore.ieee.org/iel7/6287639/8600701/08743356.pdf> [Retrieved on 28.03.23]
- [10] Lam, F., Li, Y., & Peng, X. (2019). Constrained magnetic resonance spectroscopic imaging by learning nonlinear low-dimensional models. *IEEE transactions on medical imaging*, 39(3), 545-555. Retrieved from: <https://ieeexplore.ieee.org/iel7/42/4359023/08770102.pdf> [Retrieved on: 28.03.2023]
- [11] Lu, H. Y., Ding, X., Hirst, J. E., Yang, Y., Yang, J., Mackillop, L., & Clifton, D. (2023). Digital Health and Machine Learning Technologies for Blood Glucose Monitoring and Management of Gestational Diabetes. *IEEE Reviews in Biomedical Engineering*. Retrieved from: <https://ora.ox.ac.uk/objects/uuid:77bd9870-e775-4bef-9bc9-3dc511b97e4d/files/st148fj51q>[Retrieved on: 28/03/2023]
- [12] Presti, D. L., Massaroni, C., Leitão, C. S. J., Domingues, M. D. F., Sypabekova, M., Barrera, D., ...&Schena, E. (2020). Fiberbragg gratings for medical applications and future challenges: A review. *IEEE Access*, 8, 156863-156888. Retrieved from <https://ieeexplore.ieee.org/iel7/6287639/8948470/09174987.pdf> [Retrieved on 28.03.23]
- [13] Van Haeverbeke, M., Stock, M., & De Baets, B. (2022). Equivalent electrical circuits and their use across electrochemical impedance spectroscopy application domains. *IEEE Access*. Retrieved from: <https://ieeexplore.ieee.org/iel7/6287639/9668973/09771445.pdf>[Retrieved on: 28/03/2023]